

Covalent CC, LLC

Las Vegas, NV 89119
 kelly@covalentcbd.com
 (702) 766-4367
 Lic. #NV20191018652

Sample: 2209DBL0118.4763

METRC Sample:
 Batch #: MFG220920S2000
 Lot #: MFG220920S2000

Strain: MFG220920S2000

Ordered: 09/27/2022; Sampled: 09/28/2022; Completed: 10/04/2022

CBD Muscle Freeze Gel

Topical, Other



Cannabinoids

- CBC
- CBCa
- CBD
- CBDa
- CBDV
- CBDVa
- CBG
- CBGa
- CBL
- CBN
- Δ8-THC
- Δ9-THC
- THCa
- THCV
- THCVa

Cannabinoids

<LOQ

28.759
mg/g

Δ9-THC + Δ8-THC

CBD

28.759
mg/g

NT

Total Cannabinoids

Moisture

Cannabinoid Profile

Analyzed by 300.18 UHPLC/PDA

Cannabinoid	Mass	Mass	LOQ
	mg/g	%	
CBC	<LOQ	<LOQ	0.049
CBCa	<LOQ	<LOQ	0.049
CBD	28.759	2.8759	0.049
CBDa	<LOQ	<LOQ	0.049
CBDV	<LOQ	<LOQ	0.049
CBDVa	<LOQ	<LOQ	0.049
CBG	<LOQ	<LOQ	0.049
CBGa	<LOQ	<LOQ	0.049
CBL	<LOQ	<LOQ	0.049
CBN	<LOQ	<LOQ	0.049
Δ8-THC	<LOQ	<LOQ	0.049
Δ9-THC	<LOQ	<LOQ	0.049
THCa	<LOQ	<LOQ	0.049
THCV	<LOQ	<LOQ	0.049
THCVa	<LOQ	<LOQ	0.049
Total THC	ND	ND	
Total CBD	28.759	2.8759	
Total	28.759	2.8759	



Glen Marquez
 Laboratory Director

Sherri Defreese
 Quality Control



4439 Polaris Ave
 Las Vegas, NV
 (702) 728-5180
 www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client. This report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation. Pesticide LOQ=Instrument Limit of Quantitation. NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.