



Full Spectrum 1000mg Lemon

Global Cannabinoids
Hemp ID: 74911
Ingestible, Tincture, Other

Sample: DIGP1905.0752.I.03663

Sample Date: 05/15/2019 Report Date: 09/19/2019
METRC Sample:
Batch #: FW190430T1000L; Lot #: 1904307;


AMENDED

Potency Test Results

Cannabinoid Test Results

Terpene Test Results

Not Tested



39.600 mg/unit Total Potential THC	1,045.078 mg/unit Total Potential CBD
39.600 Total THC / 1 fl oz THC/Unit	1,045.078 Total CBD / 1 fl oz CBD/Unit

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

1 Unit = 1 fl oz, 30g

Analyte	LOQ %	Mass mg/unit	Mass %
THCa	0.0010	<LOQ	<LOQ
Δ9-THC	0.0010	39.600	0.1320
Δ8-THC	0.0010	<LOQ	<LOQ
THCV	0.0010	<LOQ	<LOQ
CBDa	0.0010	4.650	0.0155
CBD	0.0010	1041.000	3.4700
CBDV	0.0010	13.650	0.0455
CBN	0.0010	2.250	0.0075
CBGa	0.0010	<LOQ	<LOQ
CBG	0.0010	16.350	0.0545
CBC	0.0010	74.250	0.2475
Total		1191.750	3.9725

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

Total Potential THC = (THCa * 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa * 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

Safety & Quality Tests

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Not Tested	Homogeneity	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested	pH	Not Tested

CANNABINOIDS LABELING SUGGESTION PER NAC 453A.508

THC/Unit	CBN/Unit	CBD/Unit
39.600 mg Total THC / 1 fl oz	2.250 mg CBN / 1 fl oz	1,045.078 mg Total CBD / 1 fl oz

Scan to View Results



I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.

Batch number and lot number swapped. Test results from 05/17/19.

Cindy Orser, PhD
Lab Director



Accreditation #99721

All pass/fail limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes. These data are available upon request.