



**Full Spectrum 250mg Mint**

Global Cannabinoids  
Hemp ID: 74911  
Ingestible, Tincture, Other

**Sample: DIGP1905.0752.I.03656**

Sample Date: 05/15/2019 Report Date: 09/19/2019  
METRC Sample:  
Batch #: FW190430T250M; Lot #: 1904302;

**AMENDED**

**Potency Test Results**

**Cannabinoid Test Results**

**Terpene Test Results**

**Not Tested**

	<b>9.900 mg/unit</b>	<b>268.652 mg/unit</b>
	Total Potential THC	Total Potential CBD
	<b>9.900 Total THC / 1 fl oz</b>	<b>268.652 Total CBD / 1 fl oz</b>
	THC/Unit	CBD/Unit

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

1 Unit = 1 fl oz, 30g

Analyte	LOQ	Mass	Mass
	%	mg/unit	%
THCa	0.0010	<LOQ	<LOQ
Δ9-THC	0.0010	9.900	0.0330
Δ8-THC	0.0010	<LOQ	<LOQ
THCV	0.0010	<LOQ	<LOQ
CBDa	0.0010	1.200	0.0040
CBD	0.0010	267.600	0.8920
CBDV	0.0010	<LOQ	<LOQ
CBN	0.0010	<LOQ	<LOQ
CBGa	0.0010	<LOQ	<LOQ
CBG	0.0010	<LOQ	<LOQ
CBC	0.0010	20.400	0.0680
<b>Total</b>		<b>299.100</b>	<b>0.9970</b>

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

Total Potential THC = (THCa \* 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa \* 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

**Safety & Quality Tests**

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Not Tested	Homogeneity	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested	pH	Not Tested

**CANNABINOIDS LABELING SUGGESTION PER NAC 453A.508**

THC/Unit	CBN/Unit	CBD/Unit
9.900 mg Total THC / 1 fl oz	<LOQ mg CBN / 1 fl oz	268.652 mg Total CBD / 1 fl oz

Scan to View Results



I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.

**Batch number and lot number swapped. Test results from 05/17/19.**

Cindy Orser, PhD  
Lab Director



Accreditation #99721

All pass/fail limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes. These data are available upon request.