



**Muscle Relief**

RIVR  
MME ID: NV20222331140  
Topical, Other

Sample: DIGP2307.0921.T.05967

Sample Date: 07/27/2023 Report Date: 08/01/2023

METRC Sample:


Lot #: MFG2306S2000; Production Run #: MFG2306S2000;

**Potency Test Results**

**Cannabinoid Test Results**

**Terpene Test Results**

**Not Tested**

	<b>&lt;LOQ</b>	<b>2,187.475 mg/unit</b>
	Total Potential THC	Total Potential CBD
	<b>&lt;LOQ</b>	<b>&lt;LOQ</b>
	THCa	CBDa

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

1 Unit = 1 unit, 85g

Analyte	LOQ	Mass	Mass
	%	mg/unit	%
THCa	0.0100	<LOQ	<LOQ
Δ9-THC	0.0100	<LOQ	<LOQ
Δ8-THC	0.0100	<LOQ	<LOQ
THCV	0.0100	<LOQ	<LOQ
CBDa	0.0100	<LOQ	<LOQ
CBD	0.0100	2187.475	2.5735
CBDV	0.0100	13.175	0.0155
CBN	0.0100	<LOQ	<LOQ
CBGa	0.0100	<LOQ	<LOQ
CBG	0.0100	<LOQ	<LOQ
CBC	0.0100	<LOQ	<LOQ
<b>Total</b>		<b>2200.650</b>	<b>2.5890</b>

Total Potential THC = (THCa \* 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa \* 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-333 on an Agilent FID-GCMS or Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

**Safety & Quality Tests**

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Not Tested	Gender	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested		



Scan to View Results



Accreditation #99721

*Raju Kandel*

Raju Kandel  
Scientific Director

I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes.