



RIVR Full Spectrum Tincture

RIVR
MME ID: NV20222331140
Ingestible, Tincture

Sample: DIGP2307.0904.I.05853

Sample Date: 07/25/2023 Report Date: 07/25/2023

METRC Sample:

Lot #: FD230706T1500C; Production Run #: FD230706T1500C;

Potency Test Results

Cannabinoid Test Results

Terpene Test Results

Not Tested



43.950 mg/unit Total Potential THC	1,361.550 mg/unit Total Potential CBD
43.950 Total THC / 1 unit THC/Unit	1,361.550 Total CBD / 1 unit CBD/Unit

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

1 Unit = 1 unit, 30g

Analyte	LOQ %	Mass mg/unit	Mass %
THCa	0.0100	<LOQ	<LOQ
Δ9-THC	0.0100	43.950	0.1465
Δ8-THC	0.0100	<LOQ	<LOQ
THCV	0.0100	<LOQ	<LOQ
CBDa	0.0100	<LOQ	<LOQ
CBD	0.0100	1361.550	4.5385
CBDV	0.0100	<LOQ	<LOQ
CBN	0.0100	18.300	0.0610
CBGa	0.0100	<LOQ	<LOQ
CBG	0.0100	<LOQ	<LOQ
CBC	0.0100	67.200	0.2240
Total		1491.000	4.9700

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-333 on an Agilent FID-GCMS or Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

Total Potential THC = (THCa * 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa * 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

Safety & Quality Tests

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Not Tested	Homogeneity	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested	pH	Not Tested



Scan to View Results



I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.



Accreditation #99721

Raju Kandel

Raju Kandel
Scientific Director

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes.