



**Citrus Mint**

RIVR  
MME ID: NV20222331140  
Ingestible, Beverage


Sample: DIGP2307.0878.I.05742

Sample Date: 07/21/2023 Report Date: 07/27/2023  
METRC Sample:

Lot #: CBDHT2306CM35; Production Run #: CBDHT2306CM35;

**Potency Test Results**

**Cannabinoid Test Results**

	<b>&lt;LOQ</b>	<b>33.930</b>
	Total Potential THC	Total Potential CBD
	<b>&lt;LOQ Total</b>	<b>33.930 Total</b>
	THC / 1 unit	CBD / 1 unit

1 Unit = 1 unit, 3g

Analyte	LOQ	Mass	Mass
	%	mg/unit	%
THCa	0.0100	<LOQ	<LOQ
Δ9-THC	0.0100	<LOQ	<LOQ
Δ8-THC	0.0100	<LOQ	<LOQ
THCV	0.0100	<LOQ	<LOQ
CBDa	0.0100	<LOQ	<LOQ
CBD	0.0100	33.930	1.1310
CBDV	0.0100	<LOQ	<LOQ
CBN	0.0100	0.510	0.0170
CBGa	0.0100	<LOQ	<LOQ
CBG	0.0100	2.145	0.0715
CBC	0.0100	<LOQ	<LOQ
<b>Total</b>		<b>36.585</b>	<b>1.2195</b>

Total Potential THC = (THCa \* 0.877) + d9-THC + d8-THC, Total Potential CBD = (CBDa \* 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

**Terpene Test Results**

**Not Tested**

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-333 on an Agilent FID-GCMS or Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

**Safety & Quality Tests**

<b>Visual</b>	Not Tested	<b>Moisture Content</b>	Not Tested
<b>Microbiological</b>	Not Tested	<b>Homogeneity</b>	Not Tested
<b>Heavy Metals</b>	Not Tested	<b>Residual Solvents</b>	Not Tested
<b>Mycotoxins</b>	Not Tested	<b>Pesticides</b>	Not Tested
<b>Water Activity</b>	Not Tested	<b>pH</b>	Not Tested



Scan to View Results



I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.

**Original CoA 7/26/23: Unit Weight amended from 2.5 to 3 Grams.**



Accreditation #99721

*Raju Kandel*

Raju Kandel  
Scientific Director

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes.