


Full Spectrum 1500mg Tincture


 Covalent CC, LLC
 MME ID: NV20191018652
 Ingestible, Tincture

Sample: DIGP2304.0440.I.03223

 Sample Date: 04/20/2023 Report Date: 04/25/2023
 METRC Sample:

Lot #: FW230412T1500C ; Production Run #: FW230412T1500C ;

Potency Test Results
Cannabinoid Test Results

	48.000 mg/unit	1,336.800 mg/unit
	Total Potential THC	Total Potential CBD
	48.000 Total THC / 1 unit	1,336.800 Total CBD / 1 unit
	THC/Unit	CBD/Unit

Terpene Test Results
Not Tested

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

1 Unit = 1 unit, 30g

Analyte	LOQ	Mass	Mass
	%	mg/unit	%
THCa	0.0100	<LOQ	<LOQ
Δ9-THC	0.0100	48.000	0.1600
Δ8-THC	0.0100	<LOQ	<LOQ
THCV	0.0100	<LOQ	<LOQ
CBDa	0.0100	<LOQ	<LOQ
CBD	0.0100	1436.800	4.8584
CBDV	0.0100	<LOQ	<LOQ
CBN	0.0100	14.700	0.0490
CBGa	0.0100	<LOQ	<LOQ
CBG	0.0100	<LOQ	<LOQ
CBC	0.0100	67.650	0.2255
Total		1567.150	5.2891

Total Potential THC = (THCa * 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa * 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantitation. Terpenes analyzed per Digipath Labs SOP-333 on an Agilent FID-GCMS or Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

Safety & Quality Tests

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Not Tested	Homogeneity	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested	pH	Not Tested



Scan to View Results



Accreditation #99721

Criselda Sodir
 Criselda Sodir
 Scientific Director

I certify that this sample has been tested by DigiPath Labs.
 All results are reported on AS-IS basis.

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes.