

## Natural Tincture

Global Cannabinoids  
 MME ID: NV20191018652  
 Ingestible, Tincture

Sample: DIGP2110.1129.I.07001


Sample Date: 10/29/2021 Report Date: 11/03/2021

METRC Sample:

Production Run #: FW190823T1000N;

## Potency Test Results

### Cannabinoid Test Results

	<b>5.027 mg/unit</b>	<b>1,218.132 mg/unit</b>
	Total Potential THC	Total Potential CBD
	<b>5.027 Total THC / 1 bottle</b>	<b>1,218.132 Total CBD / 1 bottle</b>
	THC/Unit	CBD/Unit

### Terpene Test Results

### Not Tested

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

1 Unit = 1 bottle, 29.5735g

Analyte	LOQ	Mass	Mass
	%	mg/unit	%
THCa	0.0100	<LOQ	<LOQ
Δ9-THC	0.0100	5.027	0.0170
Δ8-THC	0.0100	<LOQ	<LOQ
THCV	0.0100	<LOQ	<LOQ
CBDa	0.0100	<LOQ	<LOQ
CBD	0.0100	1218.132	4.1190
CBDV	0.0100	13.604	0.0460
CBN	0.0100	<LOQ	<LOQ
CBGa	0.0100	<LOQ	<LOQ
CBG	0.0100	<LOQ	<LOQ
CBC	0.0100	<LOQ	<LOQ
<b>Total</b>		<b>1236.764</b>	<b>4.1820</b>

Total Potential THC = (THCa \* 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa \* 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

## Safety & Quality Tests

CANNABINOIDS LABELING SUGGESTION PER NAC 453A.508		
THC/Unit	CBN/Unit	CBD/Unit
5.027 mg Total THC / 1 bottle	<LOQ mg CBN / 1 bottle	1,218.132 mg Total CBD / 1 bottle

Scan to View Results



Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Not Tested	Homogeneity	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested	pH	Not Tested



Accreditation #99721

*Sherri Defreese*

Sherri Defreese  
 Scientific Director

I certify that this sample has been tested by DigiPath Labs.  
 All results are reported on AS-IS basis.

All pass/fail limits are as specified in nCCR, NAC 453.A and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes.

© 2018 Digipath Labs | All Rights Reserved | [www.digipathlabs.com](http://www.digipathlabs.com) | [info@digipathlabs.com](mailto:info@digipathlabs.com)